

Safety Data Sheet (SDS)

Section 1: Chemical Product and Company Identification

Cat# : 2201

Part Name: Heat Transfer Fluid 550

Supplier: Foxwest Sales, Inc.

460 Glennie Circle King of Prussia, Pa 19406
SDS Telephone # (610) 755-0800

Emergency Telephone Numbers

US Chemtrec: (800) 424-9300

Canada: (703) 527-3887

Identified uses: Laboratory use

Email Contact: cveloski@deconlabs.com

Section 2: Hazards Identification:

Hazard Overview

This substance is not classified as hazardous to health or the environment according to the CLP regulation

GHS Classification

Non-hazardous

Signal Word: NO HAZARD

Hazardous Pictograms: Not Applicable

NFPA Rating

Hazard Ratings:

These ratings are Foxwest, Inc. own assessments of the properties of the material using the ANSI/NFPA 704 Standard. Additional information can be found by consulting in the NFPA published ratings lists (List 325 and list 49).

If no data is listed the information is not available

Health 1 Flammability 1 Reactivity 0

Physical state : Liquid
Odor: : Odorless
OSHA/HCS status : While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product.
Emergency overview : NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED.
Over-exposure signs/symptoms
Inhalation : No specific data

Safety Data Sheet (SDS)

Ingestion : No specific data
Skin : No specific data
Eyes : No specific data
Medical conditions : None
known, aggravated by
over-exposure

See toxicological information (Section 11)

Section 3: Composition/ Information on ingredients

| Name | CAS # | % in Product |
|---------------------------|-------------|--------------|
| Diphenyl-dimethylsiloxane | 68083-14-17 | 100% |

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting this section.

Section 4: First Aid Measures

Eye contact : Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention if symptoms occur.

Skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if symptoms occur. Inhalation : Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms occur.

Ingestion : Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur.

Section 5: Fire-Fighting Measures

Flammability of the product : In a fire or if heated, a pressure increase will occur and the container may burst.

Extinguishing media

Suitable : Use an extinguishing agent suitable for the surrounding fire.
Not suitable : None known

In case of fire : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Hazardous thermal decomposition products : No specific data

Safety Data Sheet (SDS)

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operating in positive pressure mode.

Section 6: Accidental Release measures

Personal precautions : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment (see Section 8).

Environmental precautions : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods for cleaning up

Small Spill : Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via licensed waste disposal contractor.

Large Spill : Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergent contact information and Section 13 for waste disposal.

Section 7: Handling and Storage

Handling : Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas.

Storage : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8: Exposure Controls/ Personal Protection

Consult local authorities for acceptable exposure limits.

Recommended monitoring procedures : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring

Safety Data Sheet (SDS)

standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

Engineering measures : No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and use the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal protection

Respiratory : Use a properly fitted, air-purifying or supplied-air respirator complying with an approved standard if a risk assessment indicates that is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Hands : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Eyes : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side shields.

Skin : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Environmental exposure controls : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Section 9: Physical and Chemical Properties

Physical state : Liquid.
Flash Point : Closed cup:
>94°C (>201.2°F)
Open cup: 300°C
(572°F)
Color : Colorless.
Odor : Odorless.
Solubility(ies) : Insoluble in the following materials: cold water, hot water

Section 10: Stability and Reactivity:

Chemical stability : The product is stable
Conditions to avoid : No specific data
Materials to avoid : No specific data
Hazardous decomposition : Under normal conditions of storage and use, hazardous

Safety Data Sheet (SDS)

decomposition products products should not be produced.
Possibility of hazardous reactions: Under normal conditions of storage and use, hazardous reactions will not occur.
Hazardous polymerization : Under normal conditions of storage and use, hazardous polymerization will not occur.

Section 11: Toxicological Information

No Data

Section 12: Ecological Information

No Data.

Section 13: Disposal Considerations

Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent regional or national requirements.

The information presented below only applies to the material as supplied. The identification based on characteristic(s) or listed may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/ PERSONAL PROTECTION for additional handling information and protection of employees

Section 14: Transportation Information

| Regulatory information | UN number | Proper shipping name | Classes | PG* | Label | Additional information |
|---------------------------|---------------|----------------------|---------|-----|-------|------------------------|
| DOT Classification | Not regulated | - | - | - | - | - |
| IMDG Class | Not regulated | - | - | - | - | - |
| IATA-DGR Class | Not regulated | - | - | - | - | - |

PG*: Packing group

Flash Point

:Closed cup:
>94°C (>201.2°F)
Open cup: 300°C
(572°F)

Section 15: Regulatory Information

HCS Classification

U.S. Federal regulations

: Not regulated

: **TSCA 8(a) PAIR**: 1,1,5,5,5-hexamethyl-3-phenyl-3-[(trimethylsilyl)trisiloxane

TSCA 8(a) CDR Exempt/Partial exemption: All components are listed or exempted

United States inventory (TSCA 8b): All components are listed or exempted

Safety Data Sheet (SDS)

SARA 302/304: No products were found.

SARA 311/312 Hazards identification: Not regulated

Clear Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) : Not listed
Clean Air Act Section 602 Class I Substances : Not listed
Clean Air Act Section 602 Class II Substances : Not listed
DEA List I Chemicals (Precursor Chemicals) : Not listed
DEA Lit II Chemicals (Essential Chemicals) : Not listed

State regulations

Massachusetts : None of the components are listed.
New York : None of the components are listed.
New Jersey : None of the components are listed.
Pennsylvania : None of the components are listed.

California Prop 65

CALIFORNIA PROPOSITION 65: The following statement is made in order to comply with the California Safe Drinking Water and Toxic Enforcement Act of 1986. This product is not known to the State of California to cause cancer.

International lists

United States inventory (TSCA 8b) : All components are listed or exempted
Canada inventory : All components are listed or exempted.
Australia inventory (AICS) : All components are listed or exempted.
China inventory (IECSC) : All components are listed or exempted.
EU Inventory : All components are listed or exempted.
Japan inventory (ENCS) : All components are listed or exempted.
Korea inventory (KECI) : All components are listed or exempted.
New Zealand Inventory of Chemicals (NZIoC) : All components are listed or exempted.
Philippines inventory : All components are listed or exempted.

This product has been classified in accordance with the hazard criteria of the CPR (Controlled Products Regulations) and this SDS (Safety Date Sheet) contains all information required by CPR.

| |
|--------------------------------------|
| Section 16: Other Information |
|--------------------------------------|

Date of Issue: 03/31/2003

Date of Revision: 05/28/2015

Hazardous Material: Information System (U.S.A.)

Safety Data Sheet (SDS)

| | |
|------------------|---|
| Health | 1 |
| Flammability | 1 |
| Physical hazards | 0 |
| | |

Caution: HMIS® ratings are based on a 0-4 scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint and Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J.J. Keller (800) 327-68-68.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association
(U.S.A.)



Foxwest, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. Individuals receiving this information must exercise their independent judgment in determining its appropriateness for a particular purpose. Foxwest, Inc. makes no representations or warranties, either expressed or implied of merchantability, fitness for particular purposes with respect to the information set forth herein or to which the information refers. Accordingly, Foxwest, Inc. will not be responsible for damages resulting from the use of or reliance upon this information.

End of Safety Data Sheet