Complies with EC no. 1907/2006 Date of Issue: 05/01/1998 Date of Revision: 12/31/2021R

Safety Data Sheet (SDS)

Section 1: Chemical Product and Company Identification

Cat#: 6518

Part Name: NoCount®

Radioactive Surface Decontaminant

Supplier: Decon Laboratories Inc.

460 Glennie Circle King of Prussia, Pa 19406

SDS Telephone # (610) 755-0800

Identified uses: Laboratory use

Emergency Telephone Numbers

US Chemtrec: (800) 424-9300 Canada: (703) 527-3887

Section 2: Hazards Identification:

GHS Classification

Flammable Aerosol, Liquefied Gas, Eye Damage 1

Signal Word: DANGER



Hazard and Precautionary Statements

| H302 | Harmful if swallowed |
|-----------------|---|
| H220 | Extremely flammable gas |
| H222 | Extremely flammable aerosol |
| H280 | Contains gas under pressure; may explode if heated |
| H318 | Causes serious eye damage |
| P210 | Keep away from heat, sparks, open flames and hot surfaces - no smoking. |
| P211 | Do not spray on an open flame or other ignition source |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. |
| P264 | Wash thoroughly after handling. |
| P410 | Protect from sunlight |
| P412 | Do not expose to temperatures exceeding 50° C / 122° F |
| P305/351/338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and |
| easy to do - co | ntinue rinsing. |
| D040 | Insurantiatable and a DOLOON OFNIED and at-at-at-at-at-at-at-at-at-at-at-at-at-a |

P310 Immediately call a POISON CENTER or doctor/physician

P102 Keep out of reach of children

Section 3: Composition/Information on ingredients

| Hazardous Ingredient(s) | % wt. * | CAS No. | Hazard classification |
|---------------------------------------|-------------|-----------|---------------------------|
| Propane | 1 - 5 | 74-98-6 | Flam. Gas 1, H220 |
| Flopalie | | | Liquefied gas; H280 |
| Butane | 1 - 5 106-9 | | Flam. Gas 1, H220 |
| Butane | 1-5 | 106-97-8 | Liquefied gas; H280 |
| tetrasodium | 4 0 | 64-02-8 | Acute Tox. 4 (oral); H302 |
| ethylenediamenetetraacetate | 1 - 2 | | Eye Dam. 1; H318 |
| nelyethylene glycel ectylphenyl ether | 1 - 3 | 9036-19-5 | Acute Tox. 4 (oral); H302 |
| polyethylene glycol octylphenyl ether | | | Eye Dam. 1; H318 |

Additional Information - Substances in the product which may present a health or environmental hazard, or which have been assigned occupational exposure limits, are detailed below.:

- Ethylene glycol monobutyl ether, CAS No. 11-76-2 (1 5%)
- Ammonia, CAS No. 7664-41-7 (< 2%)
- d-Limonene, CAS No. 5989-27-5 (< 1%) May cause an allergic skin reaction.

Section 4: First Aid Measures

| Description | of first aid | measures |
|-------------|--------------|----------|
|-------------|--------------|----------|

Inhalation Move person to fresh air. If breathing is labored,

administer oxygen. If symptoms develop, obtain medical

attention.

Skin Contact Wash affected skin with soap and water. If symptoms

develop, obtain medical attention.

Eye Contact IF IN EYES: Rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If symptoms occur obtain medical

attention.

Ingestion Do not give anything by mouth to an unconscious person.

Seek medical treatment.

Most important symptoms and effects,

both acute and delayed

Indication of any immediate medical attention and special treatment needed

Contains: d-Limonene. May cause an allergic skin

reaction.

IF SWALLOWED: Immediately call a POISON CENTER

or doctor/physician.

^{*} The exact percentage withheld as a trade secret in accordance with 29 CFR 1910.1200.

Section 5: Fire-Fighting Measures

Extinguishing Media

-Suitable Extinguishing Media Extinguish with carbon dioxide, dry chemical,

foam or water spray.

-Unsuitable Extinguishing Media Do not use water jet.

Special hazards arising from the

substance or mixture
Advice for fire-fighters

Highly flammable vapor (flash point below

23°C).

A self-contained breathing apparatus and

suitable protective clothing should be worn in

fire conditions. Keep containers cool by spraying with water if exposed to fire.

Section 6: Accidental Release measures

Any information listed below is to be considered in addition to internal guidelines for isolation of spill, containment of spill, removal of ignition sources from immediate area, and collection for disposal of spill by trained, properly protected clean up personnel.

Personal precautions, protective

equipment and emergency

procedures

Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Take precautionary measures against static discharges. Avoid sentent with skip and even Avoid breathing.

contact with skin and eyes. Avoid breathing vapors.

Environmental precautions

Prevent liquid entering sewers, basements and

work pits.

Methods and material for

containment and cleaning up

Cover spills with inert absorbent material.

Transfer to a container for disposal or

recovery.

Reference to other sections

Additional Information

None None

Section 7: Handling and Storage

Precautions for safe Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Avoid contact with skin and eyes.

handling Use product in a well-ventilated area only.

Conditions for safe storage, including any incompatibilities

-Storage temperature Keep in a cool, well-ventilated place. Store at temperatures not exceeding 50 °C / 122 °F.
-Incompatible materials This product should be stored away from sources of strong heat or oxidizing chemicals.

Specific end use(s) cleaning agent

Section 8: Exposure Controls/ Personal Protection

OSHA (ACGIH) Exposure Limits

| | | (8hr TWA) | | (STEL) | | |
|---------------------------------|-----------|---------------|----------------|---------------|---------------|---------------------|
| SUBSTANCE. | CAS No. | PEL (OSHA) | TLV (ACGIH) | PEL (OSHA) | TLV (ACGIH | Note: |
| n-Butane | 106-97-8 | | 250 ppm | | | |
| Propane | 74-98-6 | 1000 ppm | Aspyx.# | | | # |
| Ethylene glycol monobutyl ether | 111-76-2 | 50 ppm (S) | 20 ppm | | | ^(S) Skin |
| Ammonia | 7664-41-7 | 50 ppm | 25 ppm | | 35 ppm | |

^{*}Assure minimum oxygen content of work atmosphere.

Recommended monitoring method

NIOSH 1403 (Alcohols IV), Electrochemical Sensor (Ammonia)

Exposure controls

Appropriate engineering controls

Provide adequate ventilation to ensure that the occupational exposure

limit is not exceeded.

Personal protection equipment

Eye/face protection Wear protective eyewear (goggles, face shield, or safety glasses).

Skin protection (Hand protection/ Other) Wea

Wear suitable gloves if prolonged skin contact is likely (Nitrile rubber)

Respiratory protection

Normally no personal respiratory protection is necessary. In case of

insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards

Not normally required. Use gloves with insulation for thermal protection, when

needed.

Environmental Exposure Controls

None known

The use of eye protection in the form of safety glasses with side shields and the use of skin protection for hands in the form of gloves are considered minimum and non-discretionary in work places and laboratories. Any recommended personal protection equipment or environmental equipment is to be considered as additional to safety glasses and gloves.

Chemical-resistant gloves should be worn whenever this material is handled. The glove material has to be impermeable and resistant to the product. Gloves should be removed and replaced immediately if there is any indication of degradation or chemical breakthrough. Rinse and remove gloves immediately after use. Wash hands with soap and water. All glove recommendations presume that the risk of exposure is through splash and not intentional immersion of the hands into the product. Since glove permeation data does not exist for this material, no recommendation for the glove material can be given for the product. Permiation data must be obtained from the glove manufacturer to determine if the glove is suitable for the task.

Section 9: Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance Liquid Color. Colorless Odor Slight citrus Odor Threshold (ppm) Not available pH (Value) Not available Melting Point (°C) / Freezing Point (°C) Not available Boiling point/boiling range (°C): Not available Flash Point (°C) -104 (Propane) **Evaporation Rate**

Evaporation Rate

Flammability (solid, gas)

Extremely flammable

Explosive Limit Ranges

Vapor pressure (Pascal)

Vapor Density (Air=1)

Pagaity (a[m])

Not available

Extremely flammable

2.1% - 9.5% v/v (Propane)

ca. 95 x 10⁴ (Propane)

ca. 1.56 @ 0 °C (Propane)

Density (g/ml)

Solubility (Water)

Solubility (Other)

Partition Coefficient (n-Octanol/water)

Auto Ignition Point (°C)

Decomposition Temperature (°C)

Kinematic Viscosity (cSt)

Not available

0.966 (8.06 lb/gal)

Not available

Not available

Not available

Not available

Kinematic Viscosity (cSt)

Explosive properties

Oxidizing properties

Other information

Not available

Not oxidizing.

Not available

Section 10: Stability and Reactivity:

Reactivity Stable under normal conditions.

Chemical stability Stable.

Possibility of hazardous reactions None anticipated.

Conditions to avoid Avoid contact with heat and ignition sources.

Incompatible materials Strong oxidizing agents

Hazardous decomposition product(s)``` None known

Section 11: Toxicological Information

Exposure routes: Inhalation, Skin Contact, Eye Contact

Acute toxicity LD50 >5000 mg/kg-bw Irritation / Corrosivity Causes serious eye damage.

Sensitisation Contains: d-Limonene. May cause an allergic skin reaction.

Section 12: Ecological Information Aquatic toxicity: Short term Long Term Not available Not available

Section 13: Disposal Considerations

The following chart lists the status of the chemical and its components in reference to 40 CFR Part 261.33. If the product is listed by code number the substance may be subject to special federal and state disposal regulations. If no codes are listed the material must be disposed in compliance with all Federal, State and Local Regulations.

Waste treatment methods

Disposal should be in accordance with local, state or national legislation. Consult an accredited waste disposal contractor or the local authority for advice.

Section 14: Transportation Information

| | U.S. DOT | Sea transport (IMDG) | Air transport (ICAO/IATA) |
|------------------------------|----------------|-------------------------|---------------------------|
| UN number | 1950 | 1950 | 1950 |
| Proper Shipping Name | Aerosols | Aerosols | Aerosols |
| Transport hazard class(es) | 2.1 | 2.1 | 2.1 |
| Packing group | Not applicable | Not applicable | Not applicable |
| Environmental hazards | None assigned | None assigned | None assigned |
| Special precautions for user | None assigned | None assigned | None assigned |

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable

Section 14: Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture:

TSCA (Toxic Substance Control Act) - Inventory Status: All components listed or polymer exempt.

Designated Hazardous Substances and Reportable Quantities (40 CFR 302.4):

| Chemical Name | CAS No. | Typical %wt. | RQ (Pounds) |
|---------------|---------|--------------|-------------|
| None | | | |

SARA 311/312 - Hazard Categories:

☐ Fire ☐ Sudden Release ☐ Reactivity ☐ Immediate (acute) ☐ Chronic (delayed)

SARA 313 - Toxic Chemicals (40 CFR 372):

| Chemical Name | CAS No. | Typical %wt. |
|---------------|---------|--------------|
| None | | |

SARA 302 - Extremely Hazardous Substances(40 CFR 355):

| Chemical Name | CAS No. | Typical %wt. | TPQ (pounds) |
|---------------|---------|--------------|--------------|
| None | | | |

California Proposition 65 List:

| Chemical Name | CAS No. | Type of Toxicity |
|---------------|---------|------------------|
| None | | |

Section 16: Other Information

Date of Issue: 05/01/1998 Date of Revision: 12/31/2021R

Decon Laboratories, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. Individuals receiving this information must exercise their independent judgment in determining its appropriateness for a particular purpose. Decon Laboratories, Inc. makes no representations or warranties, either expressed or implied of merchantability, fitness for particular purposes with respect to the information set forth herein or to which the information refers. Accordingly, Decon Laboratories, Inc. will not be responsible for damages from the use of or reliance upon this information.

End of Safety Data Sheet