Emergency Telephone Numbers US Chemtrec: (800) 424-9300

Canada: (703) 527-3887

Section 1: Chemical Product and Company Identification

Section 2: Hazards Identification:

Cat#: 8776

Part Name: CiDehol 70 Surface wipes

Supplier: Decon Laboratories Inc.

460 Glennie Circle King of Prussia, PA 19406 SDS Telephone # (610) 755-0800

Identified uses: Laboratory use

GHS CLASSIFICATIONS Physical: Flam liquid, 2 – H225 Health hazards: Eye irrit, 2A - H319 STOT SE 3 - H336 **Environmental hazards:** Not classified **GHS LABEL** SIGNAL WORD: DANGER **HAZARD STATEMENTS** Hazard statements H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. Precautionary statements P210 Keep away from heat, sparks, open flames and hot surfaces. No smoking. P261 Avoid breathing vapor/ spray. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/ attention. P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish. Contains PROPAN-2-OL This product does not contain any substances classified as PBT or vPvB. **Other hazards:** Section 3: Composition/Information on ingredients

Note: Items listed with a CASRN number have no CAS# available

Chemical Name	Vol. %	CAS
Propan-2-ol	70	67-63-0
D.I. Water	30	7732-18-5

Composition comments

TSCA: The ingredients of this product are on the TSCA Inventory. The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with

Section 4: First Aid Measures

Description of first aid me	<u>asures</u>
General information	Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical personnel.
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Get medical attention. Place unconscious person on their side in the recovery position and ensure breathing can take place.

Ingestion	Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Never give anything by mouth to an unconscious person. Place unconscious person on their side in the recovery position and ensure breathing can take place. Keep affected person under observation. Get medical attention if symptoms are severe or persist.
Skin Contact	Rinse with water.
Eye contact	Rinse with water. Do not rub eye. Remove any contact lenses and open eyelids wide apart. Get medical attention if any discomfort continues.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.
Most important symptoms a	nd effects, both acute and delayed
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	A single exposure may cause the following adverse effects: Headache. Nausea, vomiting. Central nervous system depression. Drowsiness, dizziness, disorientation, vertigo. Narcotic effect.
Ingestion	No specific symptoms known.
Skin contact	No specific symptoms known.
Eye contact	Irritating to eyes.
Indication of immediate medi	cal attention and special treatment needed
Notes for the doctor	Treat symptomatically.

Section 5: Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media	The product is flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Special hazards arising from th	e substance or mixture
Specific hazards	Containers can burst violently or explode when heated, due to excessive pressure build-up. Flammable liquid and vapor. Vapors may be ignited by a spark, a hot surface or an ember. Vapors may form explosive mixtures with air. Fire-water run-off in sewers may create fire or explosion hazard.
Hazardous combustion	Thermal decomposition or combustion products may include the following substances: Harmful gases or vapors.
Advice for firefighters	
Protective actions during firefi	Avoid breathing fire gases or vapors. Evacuate area. Keep upwind to avoid inhalation of gases, vapors, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapors and protect men stopping the leak. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.
Special protective equipment	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Standard Firefighter's clothing including helmets, protective boots and gloves will provide a basic level of protection for chemical incidents.

Section 6: Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Environmental precautions	Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be taken without appropriate training or involving any personal risk. Do not touch or walk into spilled material. Evacuate area. Provide adequate ventilation. No smoking, sparks, flames or other sources of ignition near spillage. Promptly remove any clothing that becomes contaminated. Avoid inhalation of vapors and spray/mists. Use suitable respiratory protection if ventilation is inadequate.
Environmental precautions	Avoid discharge into drains or watercourses or onto the ground.
Methods and material for cont	
Methods for cleaning up	Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Eliminate all ignition sources if safe to do so. No smoking, sparks, flames or other sources of ignition near spillage. Do not allow material to enter confined spaces, due to the risk of explosion. Absorb small quantities with paper towels and evaporate in a safe place. Once evaporation is complete, place paper in a suitable waste disposal container and seal securely. Large Spillages: If the product is soluble in water, dilute the spillage with water and mop it up. Alternatively, or if it is not water-soluble, absorb the spillage with an inert, dry material and place it in a suitable waste disposal container. The contaminated absorbent may pose the same hazard as the spilled material. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. For waste disposal, see Section 13.
Reference to other sections	For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

Section 7: Handling and Storage

<u>Precautions for safe handling</u> Usage precautions	Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimize spills. Keep container tightly sealed when not in use. Avoid the formation of mists. The product is flammable. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers.
Advice on general	Wash promptly if skin becomes contaminated. Take off contaminated clothing and wash
occupational hygiene	before reuse. Wash contaminated clothing before reuse.
<u>Conditions for safe storage, ir</u> Storage precautions	icluding any incompatibilities S
	Store away from incompatible materials (see Section 10). Keep away from oxidizing materials, heat and flames. Keep only in the original container. Keep container tightly closed, in a cool, well-ventilated place. Keep containers upright. Protect containers from damage.
Storage class	Flammable liquid storage.
Specific end uses(s)	The identified uses for this product are detailed in Section 1.
reference to other sections.	Store away from incompatible materials (see Section 10).

Section 8: Exposure Controls/ Personal Protection

Control parameters

Occupational exposure limits

PROPAN-2-OL

Long-term exposure limit (8-hour TWA): OSHA 400 ppm 980 mg/m³ Long-term exposure limit (8-hour TWA): ACGIH 200 ppm 492 mg/m³ Short-term exposure limit (15-minute): ACGIH 400 ppm 984 mg/m³ A4 OSHA = Occupational Safety and Health Administration. ACGIH = American Conference of Governmental Industrial Hygienists. A4 = Not Classifiable as a Human Carcinogen.

Exposure controls

Protective equipment

Appropriate engineering controls	Provide adequate general and local exhaust ventilation. Ensure the ventilation system is regularly maintained and tested. Good general ventilation should be adequate to control worker exposure to airborne contaminants. Observe any occupational exposure limits for the product or ingredients.
Eye/face protection	Wear tight-fitting, chemical splash goggles or face shield. If inhalation hazards exist, a full- face respirator may be required instead.
Hand protection	No specific hand protection recommended.
Other skin and body protection	Wear appropriate clothing to prevent repeated or prolonged skin contact
Hygiene measures	Wash after use and before eating, smoking and using the toilet. Do not eat, drink or smoke when using this product.
Respiratory protection	Ensure all respiratory protective equipment is suitable for its intended use and is NIOSH approved. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with OSHA 1910.134. Full face mask respirators with replaceable filter cartridges should comply with OSHA 1910.134. Half mask and quarter mask respirators with replaceable filter cartridges should comply should comply with OSHA 1910.134.
Environmental exposure controls	Keep container tightly sealed when not in use.

Section 9: Physical and Chemical Properties

Information on basic physical and chemical properties	
Appearance	Clear liquid.
Color	Colorless.
Odor	Alcoholic.
Odor threshold	No information available.
рН	No information available.
Melting point	No information available.

Initial boiling point and range Flash point	82°C/180°F @ 101.3 kPa 12°C/53°F Tag closed cup.
Evaporation rate	No information available.
Evaporation factor	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or ex	plosive limits Lower flammable/explosive limit: 2.0 %(V) Upper flammable/explosive limit: 12.7 %(V)
Other flammability	No information available.
Vapor pressure	5.2 kPa @ 20°C
Vapor density	1.82
Relative density	0.87
Bulk density	No information available.
Solubility(ies)	Soluble in water.
Partition coefficient	No information available.
Auto-ignition temperature	No information available.
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	No information available.
Refractive index	No information available.
Particle size	Not applicable.
Molecular weight	Not applicable.
Volatility Saturation concentration No in	100% Iformation available.
Critical temperature	No information available.
Volatile organic compound	This product contains a maximum VOC content of 350 g/l. This product contains a maximum VOC content of 70 %.

Section 10: Stability and Reactivity:

Reactivity	Reactivity	
------------	------------	--

See the other subsections of this section for further details.

Stability Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.

Possibility of hazardous reactions

	The following materials may react strongly with this product: Oxidizing agents
Conditions to avoid	Avoid heat, flames and other sources of ignition. Containers can burst violently or explode when heated, due to excessive pressure build-up. Static electricity and formation of sparks must be prevented.
Materials to avoid	Oxidizing materials. Acids - oxidizing.
Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapors.

	Section 11: Toxicological Information
Acute toxicity - oral	
Notes (oral LD₅₀)	Based on available data the classification criteria are not met.
Acute toxicity - dermal	
Notes (dermal LD₅o)	Based on available data the classification criteria are not met.
Acute toxicity - inhalation	
Notes (inhalation LC₅₀)	Based on available data the classification criteria are not met.
Skin corrosion/irritation	
Animal data	Based on available data the classification criteria are not met.
Serious eye damage/irritation	
Serious eye damage/irritatio	n Causes serious eye irritation.
Respiratory sensitization	
Respiratory sensitization	Based on available data the classification criteria are not met.
Skin sensitization	
Skin sensitization	Based on available data the classification criteria are not met.
Germ cell mutagenicity	
Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Carcinogenicity	
Carcinogenicity	Based on available data the classification criteria are not met.
IARC carcinogenicity	Contains a substance which may be potentially carcinogenic. IARC Group 3 Not classifiable as to its carcinogenicity to humans.
<u>Reproductive toxicity</u> - fertility	Based on available data the classification criteria are not met.
Reproductive toxicity develop	ment Based on available data the classification criteria are not met.
Specific target organ toxicity - single exposure	
STOT - single exposure	STOT SE 3 - H336 May cause drowsiness or dizziness.
Target organs	Central nervous system
Specific target organ toxicity -	repeated exposure
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.

Aspiration hazard	
Aspiration hazard	Based on available data the classification criteria are not met.
General Information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure
Inhalation	A singe exposure may cause the following adverse effects: Headache, Nausea, Vomiting, Central nervous system depression. Drowsiness, dizziness, disorientation, vertigo, Narcotic effect.
Ingestion	No specific symptoms known
Skin contact	No specific symptoms known
Eye Contact	Irritating to eyes.
Route of exposure	Ingestion, Inhalation, Skin and/or eye contact
Target Organs	Central Nervous system

Toxicological Information on ingredients

PROPAN-2-OL

Acute toxicity - inhalation Acute toxicity inhalation	16,000.0
(LC₅₀ vapours mg/l) ATE inhalation (vapours) mg/l)	16,000.0
<u>Carcinogenicity</u>	
IARC carcinogenicity	IARC Group 3 Not classifiable as to its carcinogenicity to humans.
NTP carcinogenicity	Not listed.
OSHA Carcinogenicity	Not listed.

Section 12: Ecological Information

Ecotoxicity

Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.

Toxicity

Based on available data the classification criteria are not met.

Ecological information on ingredients.

PROPAN-2-OL

Acute aquatic tox	licity		
Acute toxicity-fi	sh LC _{so} , 96 hours: 9,640 mg/l, Fish		
Acute toxicity - aquatic invertebrates EC ₅₀ , 48 hours: 5102 mg/l, Daphnia magna			
Acute toxicity - aquatic plants IC_{50} , 72 hours: >2,000 mg/l, Algae			
Persistence and degradability			
Persistence and degradability The degradability of the product is not known.			
Bioaccumulative potential			
Bio-Accumulative Potential	No data available on bioaccumulation.		
Partition coefficient	No information available.		

Ecological information on ingredients.

	PROPAN-2-OL
Partition coeffici	ent : 0.05
<u>Mobility in soi</u> l	
Mobility	No data available.
Other adverse effects	
Other adverse effects	None known.

Section 13: Disposal Considerations

Waste treatment methods	
General information	The generation of waste should be minimized or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.
Disposal methods	Do not empty into drains. Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labeled with their contents. Incineration or landfill should only be considered when recycling is not feasible.

Section 14: Transportation Information		
General	Requirements for marking and labeling of package varies depending on mode of transport. If uncertain of proper markings and labeling, call Decon for assistance.	
Air transport notes	Forbidden for passenger and cargo aircraft.	
DOT transport notes	As supplied, this product is consigned under the Limited Quantities provisions.	
<u>UN Number</u>		
UN No. (IMDG)	3175	
UN proper shipping name		
Proper shipping name (TDG)	LIMITED QUANTITY	
Proper shipping name (IMDG) UN3175, SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Isopropanol Solution), 4.1, PGII, Limited Quantity	
Proper shipping name (ICAO) Forbidden for passenger and cargo aircraft.		
Proper shipping name (DOT)	LIMITED QUANTITY	
Transport hazard class(es)		
IMDG Class	4.1	
Packing group		
IMDG packing group	II	
Environmental hazards		
No information required. Not ap	oplicable.	

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: No information required. Not applicable

Environmentally Hazardous Substance: No

Section 15: Regulatory information

US Federal Regulations

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities None of the ingredients are listed or exempt.

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA) None of the ingredients are listed or exempt.

SARA Extremely Hazardous Substances EPCRA Reportable Quantities None of the ingredients are listed or exempt.

SARA 313 Emission Reporting

None of the ingredients are listed or exempt.

CAA Accidental Release Prevention

None of the ingredients are listed or exempt.

FDA - Essential Chemical None of the ingredients are listed or exempt.

FDA - Precursor Chemical None of the ingredients are listed or exempt.

SARA (311/312) Hazard Categories

None of the ingredients are listed or exempt.

OSHA Highly Hazardous Chemicals

None of the ingredients are listed or exempt.

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins This product does not contain any chemicals found on the California Proposition 65 Carcinogens and Reproductive Toxins.

California Air Toxics "Hot Spots" (A-I)

The following ingredients are listed or exempt:

PROPAN-2-OL

California Air Toxics "Hot Spots" (A-II) None of the ingredients are listed or exempt.

California Directors List of Hazardous Substances

The following ingredients are listed or exempt:

PROPAN-2-OL

Massachusetts "Right To Know" List

The following ingredients are listed or exempt:

PROPAN-2-OL

Rhode Island "Right To Know" List

The following ingredients are listed or exempt:

PROPAN-2-OL

Minnesota "Right To Know" List The following ingredients are listed or exempt:

PROPAN-2-OL

New Jersey "Right To Know" List The following ingredients are listed or exempt:

PROPAN-2-OL

Pennsylvania "Right To Know" List The following ingredients are listed or exempt:

PROPAN-2-OL

Inventories

Canada - DSL/NDSL DSL

US - TSCA All the ingredients are listed or exempt. Present.

US - TSCA 12(b) Export Notification Not listed.

Section 16: Other Information

Abbreviations and acronyms used in the safety data sheet	TDG: The transport of dangerous goods act
	 IATA: International air transport association. ICAO: Technical instructions for the safe transport of dangerous goods by air. IMDG: International maritime dangerous goods. CAS: Chemical abstracts service. ATE: Acute toxicity estimate. LC₅₀: Lethal concentration to 50 % of a test population. LD₅₀: Lethal dose to 50% of a test population (median lethal dose). EC₅₀: 50% of maximal effective concentration. PBT: Persistent, bioaccumulative and toxic substance. vPvB: Very persistent and very bioaccumulative.
Classification abbreviations and acronyms	Flam. Liq. = Flammable liquid Eye Irrit. = Eye irritation STOT SE = Specific target organ toxicity-single exposure

Date of Issue: 03/28/2022 Date of Revision: 12/31/2024R

Decon Laboratories, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. Individuals receiving this information must exercise their independent judgment in determining its appropriateness for a particular purpose. Decon Laboratories, Inc. makes no representations or warranties, either expressed or implied of merchantability, fitness for particular purposes with respect to the information set forth herein or to which the information refers. Accordingly, Decon Laboratories, Inc. will not be responsible for damages resulting from the use of or reliance upon this information.

End of Safety Data Sheet