

Safety Data Sheet (SDS)

Section 1: Chemical Product and Company Identification

Cat# : 1601H

Part Name: CitriSolv Hybrid

Supplier: Decon Laboratories Inc.
460 Glennie Circle King of Prussia, Pa 19406
SDS Telephone # (610) 755-0800

Emergency Telephone Numbers

US Chemtrec: (800) 424-9300
Canada: (703) 527-3887

Identified uses: Laboratory use

Section 2: Hazards Identification:

Hazard Overview

Emergency Overview

GHS Classification:

Physical Hazards

Flammable Liquids (4)

Health Hazards

Skin Irritation (2)
Skin Sensitizer (1B)
Aspiration Toxicity (1)
Eye Irritation (2A)

Environmental Hazards

Acute Aquatic Toxicity (1)
Chronic Aquatic Toxicity (1)

GHS Labeling:



Label Elements:

Signal Word: DANGER

Hazard and Precautionary Statements

Hazard Statements:

H227: Combustible liquid
H304: May be fatal if swallowed and enters airways
H315: Causes skin irritation
H317: May cause an allergic skin reaction
H410: Very toxic to aquatic life with long lasting effects
H319: Causes serious eye irritation

Safety Data Sheet (SDS)

Precautionary Statements:

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P241: Use explosion-proof [electrical/ventilating/lighting/...] equipment.

P280: Wear protective gloves/protective clothing/eye protection/face protection

P273: Avoid release to the environment

P303+361+353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

P331: Do NOT induce vomiting

P235: Keep cool

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing

P337+313: If eye irritation persists get medical advice/attention

Other hazards which do not result in classification: None determined.

NFPA Rating

Hazard Ratings:

These ratings are Decon Laboratories Inc.'s own assessments of the properties of the material using the ANSI/NFPA 704 Standard. Additional information can be found by consulting in the NFPA published ratings lists (List 325 and list 49).

If no data is listed the information is not available

Health 1 Flammability 2 Reactivity 1

Section 3: Composition/ Information on ingredients

Common Name	Chemical Name	CAS Number	EINECS No.	Weight %
d-Limonene	(R)-1-methyl-4-(1-methylethenyl)-Cyclohexene	5989-27-5	277-813-5	20-40
Isopropylcumene	Isopropylcumene	25321-09-9	246-835-6	50-90
BHT	2,6-di-tert-butyl-p-cresol	128-37-0	204-881-4	<= 300 ppm

Section 4: First Aid Measures

Inhalation	Remove person to fresh air and keep at rest in a comfortable position for breathing. See a physician if breathing difficulty persists.
Eye contact	EYE CONTACT: Flush eyes with clean water for 15 minutes. If irritation persists, seek medical attention.
Skin contact	In case of skin contact, wash thoroughly with soap and water.
Ingestion	Keep respiratory tract clear. Do Not induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Get medical attention or contact a poison control center for advice

Safety Data Sheet (SDS)

Section 5: Fire-Fighting Measures

Flash point	63°C (145°F) (Pensky Martens)
Auto-ignition temperature	Not determined.
Suitable extinguishing media	Water fog or spray, Foam, Dry Powder, Carbon Dioxide (CO ₂).
Extinguishing media which must not be used	If water must be used, use as a spray only to lower temperature.
Hazardous decomposition products	FROM FIRE: Smoke, carbon dioxide and carbon monoxide.
Special protective equipment for fire fighters	Self-contained positive pressure breathing apparatus and protective clothing should be worn when fighting fires involving chemicals.
Precautions for fire fighters	DANGER - FLAMMABLE LIQUID! Vapors may cause flash fires. May cause eye or skin irritation. Harmful or fatal if swallowed. Vapors and spray mist are harmful if inhaled. May produce a floating fire hazard.
Unusual Fire and Explosions Hazards	Containers may explode from internal pressure if confined to fire. Cool with water. Keep unnecessary people away. Exercise care when disposing of rags contaminated with the product. Use normal precautions appropriate for oily rags.

Section 6: Accidental Release measures

Protective measures	ELIMINATE ALL SOURCES OF IGNITION. Eliminate all sources of ignition in the vicinity of the spill or released vapor. If this material is released into the work area, evacuate the area immediately. Monitor area with combustible gas indicator. Wear appropriate personal protective equipment when cleaning up spills. Eliminate potential sources of ignition. Handling equipment must be bonded and grounded to prevent sparking.
Environmental Precautions	This product is a marine pollutant and is very toxic to aquatic organisms. Do not discharge into lakes, streams, ponds or public waters.
Spill Management	Exercise caution. Eliminate potential sources of ignition. Use spark-proof tools and explosion-proof equipment. Dike and contain spill. Small spills may be absorbed by sand or oil-absorbing materials. Large spills should be collected by pumping into closed containers for recovery or disposal. Spills over water will float and may be collected by oil absorbents and/or by skimming.

Section 7: Handling and Storage

7.1 Precautions for safe handling	Wear chemical safety glasses or goggles and chemically resistant gloves. A chemically resistant apron may be used to protect clothing. A respirator may be worn to prevent breathing spray mists or heated fumes. Take precautionary measures against static discharges.
7.2 Conditions for safe storage	No smoking. Store in original container, preferably in a cool, ventilated, fire-resistant building. Avoid heat, sparks, and open flames. Empty containers may retain product residues (vapor, liquid, or solid) all label precautions must be observed.

Safety Data Sheet (SDS)

Section 8: Exposure Controls/ Personal Protection

Exposure limits	AIHA WEEL 8-hr TWA (d-limonene) 30 ppm
Appropriate engineering controls	Use in a well-ventilated area.
Ventilation	Mechanical ventilation may be necessary at elevated temperatures to control odors.
PPE	Consistent with good occupational hygiene practices, personal protective equipment (PPE) should be used in conjunction with other control measures, including engineering controls, ventilation and isolation. See also section 5 (Fire-fighting measure) of the SDS for specific fire/chemical PPE advice.
Respiratory protection	A respirator is not normally required. If vapor concentration is high, use a NIOSH approved organic vapor respirator or a properly fitted, air-purifying or air-fed respirator complying with an approved standard.
Eye protection	Wear chemical safety glasses, goggles or face shield. Provide eye bath near work site.
Skin protection	Wear chemically resistant rubber gloves and apron to minimize exposure.
Personal hygiene measures	When using do not eat or drink. Wash hands and other exposed areas of skin with soap and water after handling the material.

Section 9: Physical and Chemical Properties

Appearance	Clear, Colorless to Light Yellow Liquid
Odor	Orange, Citrus
Odor threshold	Not determined.
pH	Not applicable.
Melting point/freezing point	Not determined.
Boiling point (initial)	192°C to 204°C (378°F to 400°F)
Flash point	63°C (145°F) (Pensky Martens)
Evaporation rate (BUAC =1)	Not determined.
Flammability (Solid, gas)	Not determined.
Flammable limits (% by volume in air)	Not determined.
Vapor pressure	1.5 mmHg @ 20°C
Relative vapor density (Air=1)	>1
Relative density	0.852 at 25°C
Solubility in water	Not determined.
Partition coefficient: n-octanol/water	ca. Log P _{ow} 4.57 (from ChemIDplus TOXNET for d-limonene)
Auto-ignition temperature	ca. 237°C (459°F)
Decomposition temperature	Not determined.
Viscosity	Not determined.

Safety Data Sheet (SDS)

Section 10: Stability and Reactivity:

Reactivity	Not determined.
Chemical stability	Product is stable and not reactive under conditions of normal use.
Hazardous polymerization	Hazardous polymerization will not occur.
Conditions to avoid	Prolonged or excessive heat and/or exposure to air may cause non-hazardous decomposition and/or oxidation.
Incompatible materials	May react with strong acids, bases, and oxidizing agents.
Hazardous decomposition products	Incomplete decomposition may produce carbon monoxide. Ultimate decomposition products are carbon dioxide and water.

Section 11: Toxicological Information

Target organs	Eyes. Skin.
Likely routes of	Eye/skin contact.
Medical conditions aggravated by	No known conditions.
Symptoms related to overexposure	Prolonged exposure may cause skin irritation and/or sensitization.
Acute toxicity	From TOXNET ChemIDPlus

Limonene

(<<http://chem.sis.nlm.nih.gov/chemidplus/rn/5989-27-5>>): **Rabbit** LD₅₀ skin > 5gm/kg (5000mg/kg) Food and Cosmetics Toxicology. Vol. 13, Pg. 825, 1975.

Rat LD₅₀ oral 4400mg/kg (4400mg/kg) SKIN AND APPENDAGES (SKIN): HAIR: OTHER LUNGS, THORAX, OR RESPIRATION: RESPIRATORY DEPRESSION BEHAVIORAL: CHANGES IN MOTOR ACTIVITY (SPECIFIC ASSAY) Oyo Yakuri. Pharmacometrics. Vol. 9, Pg. 387, 1975.

Isopropylcumene

(<<http://chem.sis.nlm.nih.gov/chemidplus/rn/25321-09-9>>)

Rat LD₅₀ Oral 6.5 mL/Kg Toxicology and Applied Pharmacology. Vol. 28, Pg. 313, 1974

Rat LD₅₀ Inhalation 5300 mg/m³/4H Toxicometric Parameters of Industrial Toxic Chemicals Under Single Exposure," Izmerov, N.F., et al., Moscow, Centre of International Projects, GKNT, 1982Vol. -, Pg. 54, 1982.

Rabbit LD₅₀ Dermal 16 mL/Kg Toxicology and Applied Pharmacology. Vol. 28, Pg. 313, 1974

Dermal contact	d-Limonene; skin - mild irritant (rabbit)
Eye contact	Contact with the undiluted material may cause eye irritation.
Respiratory or Skin sensitization	No known significant effects or critical hazards

Safety Data Sheet (SDS)

Germ cell mutagenicity	Refer to WHO Concise International Chemical Assessment Document 5 for Limonene. AMES Test; Negative
Carcinogenicity	No component of the product is listed as carcinogenic by IARC, ACGIH, and NTP. IARC has classified d-limonene as Group 3: Not classifiable as to its carcinogenicity to humans.
Reproductive toxicity	Not determined.
STOT – single exposure	Not determined.
11.1 (i) STOT repeated exposure	Not determined.
Aspiration Hazard	Component categorized as a Cat 1 Aspiration Hazard.

Section 12: Ecological Information

The product contains a marine pollutant and is toxic to aquatic organisms.

Toxicity	Refer to the WHO (World Health Organization) Concise International Chemical Assessment Document 5 for Limonene for a detailed analysis. Water flea (<i>Daphnia magna</i>) 48-h LC ₅₀ ; flow-through 0.577 mg/L (0.496-0.672) US EPA, 1990b Water flea (<i>Daphnia magna</i>) 48-h EC ₅₀ ; flow-through 0.421 mg/L US EPA, 1990b Fathead minnow (<i>Pimephales promelas</i>) 96-h LC ₅₀ ; flow-through 0.702 mg/L (0.619-0.796) US EPA, 1990b Green algae 96-h NOEC; static 4.08 mg/L US EPA, 1990a
Persistence and degradability	Limonene: 92.7% in 21 days per method CEC L33T82. Isopropylcumene showed essentially no degradation in the aqueous environment according to HPVIS.
Bio accumulative potential	Not determined.
Mobility in Soil	Not determined.
Other adverse effects	Not determined.

Section 13: Disposal Considerations

Disposal methods	This material, if discarded, would be considered a hazardous waste by EPA regulations 40 CFR 261 due to flammability. Dispose of this material at a local, state or federally approved landfill, incinerator or recovery facility. User must determine proper disposal method and classification when material is declared a waste.
Safe handling of wastes	Refer to Section 8 for information pertaining to personal protective equipment and exposure controls when handling this material for disposal.

Safety Data Sheet (SDS)

Section 14: Transportation Information

US DOT	NA1993, Combustible Liquids, N.O.S (d-Limonene), 3, PGIII, Marine Pollutant- Exemptions exist for small pack sizes
ICAO/IATA	UN3082, Environmentally Hazardous substance, N.O.S. (Limonene), 9, PGIII, Marine Pollutant
IMO/IMDG	UN3082, Environmentally Hazardous substance, N.O.S. (Limonene), 9, PGIII, Marine Pollutant
USDOT Non-Bulk Packaging	CitriSolv Hybrid (Excepted from HMR as per §173.150 & §171.4)
Shipping Label	Combustible Liquid, Marine Pollutant

Section 15: Regulatory Information

Chemical Inventories Status

USA	Compliant
Canada	Compliant.
European Community	Compliant.
Australia	Compliant
Japan	Compliant
Korea	Compliant
Philippines	Compliant.
China	Compliant.

USA Federal and States Information

OSHA - Hazardous by definition of 29 CFR 1910.1200
SARA 311/312 Hazard Category - Fire Hazard and Immediate (Acute) Health

Section 16: Other Information

Date of Issue: 01/01/2002
Date of Revision: 12/31/2021R

Risk phrases

R10 – Flammable
R36/38 - Irritating to eyes and skin
R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R65 - Harmful: may cause lung damage if swallowed. R43 - May cause sensitization by skin contact

Safety phrases

S24 - avoid contact with skin S25 - avoid contact with eyes
S26 - in case of contact with eyes, rinse immediately with plenty of water and seek medical advice
S60 - this material and its container must be disposed of as a hazardous waste.
S61 - avoid release to the environment. Refer to special instructions/safety data sheets
S37 - wear suitable gloves
S62 - if swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

Decon Laboratories, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. Individuals receiving this information must exercise their independent judgment in determining its appropriateness for a particular purpose. Decon Laboratories, Inc. makes no representations or warranties, either expressed or implied of merchantability, fitness for particular purposes with respect to the information set forth herein or to which the information refers. Accordingly, Decon Laboratories, Inc. will not be responsible for damages resulting from the use of or reliance upon this information.

End of Safety Data Sheet